



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.17	Date 日期	05/2025
--------------------------	--------	------------	---------

- ▶ **新增功能：**
 1. 新增 [车灯设置] 功能。
 2. 新增适配遥测适配器功能。
- ▶ **修改功能：**
 1. 修改传感器中的 [速度和距离] 功能，增加设置齿轮比功能。
 2. 修改 [按键设定] 功能，微调 TR2-FB，功能默认不分配油门微调，默认选择无。
 3. 修改失控保护功能，将 [无输出] 选项修改为 [通道值无输出]。
 4. 优化其他与用户体验相关的问题。
- ▶ **特殊变化：**
 - 无

注意事项

- 发射机固件更新完成后，模型数据会被复位。在固件更新之前，可通过遥控管家进行数据备份，然后导入该版本使用。
- 使用遥控管家备份数据时，需注意以下版本兼容性问题：遥控管家 3.0.4 版本和 3.3.5 版本目前互不兼容。因此，导出和导入模型数据时，必须使用相同版本的遥控管家进行操作。
- 发射机固件更新完成后，需完成摇杆校准。
- 发射机和接收机更新完成后需要重新对码。

-
- ▶ **New functions:**
 1. Added **LAMP** feature.
 2. Added support for the telemetry adapter.
 - ▶ **Modified functions:**
 1. Added **Ratio of gears** setting in the **Speed And Distance** feature (**SENSOR**).
 2. Modified the **ASSIGN** function for the TR2-FB trim, defaulting to 'None' (no throttle trim).
 3. Modified the **Failsafe** function, with one of the options changed from **Free** to **Channel Value None Output**.
 4. Optimized other issues related to user experience.
 - ▶ **Special changes :**
 - None

Notes

- After the transmitter firmware update is finished, the model data will be reset. It is recommended to back up data through the FlySkyAssistant, and then import the data after the update is finished.
- When using FlySkyAssistant to back up data, please note the following version compatibility issues: FlySkyAssistant versions 3.0.4 and 3.3.5 are currently incompatible with each other. Therefore, when exporting and importing model data, you must use the same version of FlySkyAssistant for the operation.
- Done the **Stick Calibration** function after the transmitter firmware update is finished.
- The transmitter and the receiver need to be bound after the update is completed.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.9	Date 日期	02/2025
--------------------------	-------	------------	---------

- ▶ **新增功能：**
 1. 新增 [设置为竞赛模式] 功能项，通过它可快速关闭 [低信号报警] 功能和 [遥测丢失报警] 功能。
 2. 新增 [失控保护提示] 功能，可开启或关闭此功能。开启后，若当前模型失控保护未设置（无输出），则发射机开机后，系统会弹窗提示。
 3. 新增遥测丢失报警功能：
 - 可设置遥测丢失时报警声音；
 - 可以设置报警灵敏度，避免短暂干扰导致丢失报警；
 - 可以开启或关闭此功能。

- ▶ **修改功能：**
 1. 修改 [低信号报警] 功能：
 - 可设置报警声音；
 - 可设置报警值和报警重复周期；
 - 可以开启或关闭此功能。
 2. 修改失控保护功能，增加未设置（无输出）设置选项和失控保护判断时间。
 3. 优化其他与用户体验相关的问题。

- ▶ **特殊变化：**
 - 无

注意事项

- 发射机固件更新完成后，模型数据会被复位。在固件更新之前，可通过遥控管家进行数据备份，然后导入该版本使用。
- 使用遥控管家备份数据时，需注意以下版本兼容性问题：遥控管家 3.0.4 版本和 3.3.5 版本目前互不兼容。因此，导出和导入模型数据时，必须使用相同版本的遥控管家进行操作。
- 发射机固件更新完成后，需完成摇杆校准。
- 发射机和接收机更新完成后需要重新对码。

-
- ▶ **New functions:**
 1. Added **Set as race mode** function, which allows for quick disabling of the **Low Signal Alarm** function and the **Telemetry Loss** function.
 2. Added **Failsafe Warning** function. This function can be enabled or disabled. When enabled, if the current model has not been set for failsafe (no output), a pop-up window will prompt after the transmitter is powered on.
 3. Added **Telemetry Loss** feature:
 - Alarm sound can be set when telemetry is lost.
 - Alarm sensitivity can be set to avoid loss alarms due to brief interference.
 - The function can be enabled or disabled.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.9	Date 日期	02/2025
--------------------------	-------	------------	---------

- ▶ **Modified functions:**
 1. Modified **Low Signal Alarm** function:
 - Alarm sound can be set.
 - Alarm value and alarm repetition cycle can be set.
 - The function can be enabled or disabled.
 2. Modified **Failsafe** function, **Not set(No output)** and **Judgment Time** are added.
 3. Optimized other issues related to user experience.

- ▶ **Special changes:**
 - None

Notes

- After the transmitter firmware update is finished, the model data will be reset. It is recommended to back up data through the **FlySkyAssistant**, and then import the data after the update is finished.
- When using **FlySkyAssistant** to back up data, please note the following version compatibility issues: **FlySkyAssistant** versions 3.0.4 and 3.3.5 are currently incompatible with each other. Therefore, when exporting and importing model data, you must use the same version of **FlySkyAssistant** for the operation.
- Done the **Stick Calibration** function after the transmitter firmware update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.7	Date 日期	05/2024
--------------------------	-------	------------	---------

- ▶ **新增功能：**
 - 新增支持 i-BUS2 舵机及相关功能。
 - 新增支持好盈 i-BUS2 R3 电调及相关功能。
 - 新增支持京商 EVO2 小车及相关功能。
- ▶ **修改功能：**
 - 修复使用发射机更新 INr4-GYB 接收机后，无法校准陀螺仪的问题。
 - 优化其他与用户体验相关的问题。
- ▶ **特殊变化：**
 - 无

注意事项

- 发射机固件更新完成后，模型数据会被复位。在固件更新之前，建议提前通过遥控管家进行数据备份，然后导入该版本使用。
- 发射机和接收机更新完成后需要重新对码。

-
- ▶ **New functions:**
 - Added support for the i-BUS2 servo and related functions.
 - Added support for HobbyWing i-BUS2 R3 ESC and related functions.
 - Added support for Kyosho EVO2 model cars and related functions.
 - ▶ **Modified functions:**
 - Fixed the issue that the gyroscope cannot be calibrated after updating the firmware of INr4-GYB receiver via the transmitter.
 - Optimized other issues related to user experience.
 - ▶ **Special changes:**
 - None

Notes

- After the transmitter firmware update is finished, the model data will be reset. It is recommended to back up data by the **FlySkyAssistant**, and then import the data after the update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.5	Date 日期	11/2023
--------------------------	-------	------------	---------

- ▶ 新增功能： 无
- ▶ 修改功能：
 - 优化资源存储管理，解决概率性出现的开机资源错误问题。
 - 优化失控保护机制，提升远距离延时体验。
 - 优化支持 FS-iBC01 电流电压传感器功能，增加可选参数。
- ▶ 特殊变化： 无

注意事项

- 更新完成后模型数据会被复位，建议提前通过遥控管家进行数据备份，然后导入该版本使用。
- 发射机和接收机更新完成后需要重新对码。

-
- ▶ New functions: None
 - ▶ Modified functions:
 - Optimize the resource storage management to solve the problem of probabilistic boot resource error.
 - Optimize the failsafe algorithm so as for better latency experience to user.
 - Optimize the function supporting the FS-iBC01 current and voltage sensor, and the function is added optional parameters.
 - ▶ Special changes: None

Notes

- The model data is reset after the update is finished. It is recommended to back up data by the **FlySkyAssistant**, and then import the data after the update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.4	Date 日期	06/2023
--------------------------	-------	------------	---------

- ▶ **新增功能：**
 - 新增主界面自定义显示区域可选择显示曲线数据。
- ▶ **修改功能：**
 - 修复部分接收机识别异常的问题。
 - 优化在修改辅助通道名字时键盘的生效逻辑。
 - 修复喇叭在受到近距离大干扰时会发出噪音的问题。
 - 优化开机自动搜索接收机功能。
- ▶ **特殊变化：**
 - 无

注意事项

- 发射机固件更新完成后，模型数据会被复位。在固件更新之前，建议提前通过遥控管家进行数据备份，然后导入该版本使用。
- 发射机和接收机更新完成后需要重新对码。

-
- ▶ **New functions:**
 - Add to display the CURVE data in the CUSTOM area of the main interface.
 - ▶ **Modified functions:**
 - Fix the bug of recognition exception on partial receivers.
 - Optimize the logic of the keyboard taking effect when modifying the auxiliary channel name.
 - Fix the problem that the speaker will make noise when subjected to large interference at close range.
 - Optimize the Auto Search Receiver function.
 - ▶ **Special changes:**
 - None

Notes

- Model data will be reset after the transmitter firmware is updated completely. It is recommended to back up data by the **FlySkyAssistant**, and then import the data after the update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.3	Date 日期	05/2023
--------------------------	-------	------------	---------

- ▶ **新增功能：**
- SVC 高级功能新增可以分配通过控件实时调节的功能。
 - 新增支持电流电压传感器及相关功能。
 - 新增支持 i-BUS2 转速传感器及相关功能。
 - 新增支持 i-BUS2 GPS 传感器及相关功能。
 - 新增 i-BUS2 设置功能图标。
 - 新增支持好盈 i-BUS2 电调及相关功能。
 - 新增支持 PowerHD i-BUS2 舵机及相关功能。
 - 新增可油门暂停计时器的功能。
 - 新增圈列表分析和标识功能。
 - 新增按键分配界面通过颜色区分占用情况。
 - 新增旋钮做档位开关时可以分配控制功能状态。
 - 新增旋钮调节功能参数时可以设置范围和偏移量。
 - 新增旋钮过中点时振动、语音提示。
 - 新增手轮、扳机可分配到其它辅助通道的功能。
 - 新增辅助通道自定义预设名字可修改状态反向的功能。
 - 新增用户可自定义模型默认数据功能。
 - 新增高度传感器高度调零功能。
 - 新增传感器极值记录功能。
 - 新增传感器数据记录功能。
 - 新增自动搜索接收机切换模型功能。
 - 新增主题切换功能。
 - 新增壁纸切换功能。
 - 新增主界面快捷操作下可选择隐藏主界面状态栏功能。
 - 新增支持 USB 扩展游戏手柄功能。
 - 新增条件模式功能。
 - 新增逻辑开关功能。
 - 新增油耗功能。

- ▶ **修改功能：**
- 修改优化主界面快捷操作增加可选项。
 - 修改主界面自定义显示内容、自动放大显示。
 - 修改优化 UI 风格。
 - 修改优化字体显示。
 - 修改优化曲线功能，增加可调类型和点数。
 - 修改优化复位按键控制功能时也可以选择触发和翻转模式。
 - 修改优化通道速度时间显示逻辑。
 - 修改优化四轮转向功能，增加可控件关闭功能。
 - 修改优化驱动混控功能，增加可控件关闭功能。



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.3	Date 日期	05/2023
--------------------------	-------	------------	---------

- 修改优化声音和振动可以自定义开启 / 关闭更多类别。
- 修改优化失控时的声音和振动提示灵敏度。
- 修改优化电池电量过低弹窗提示和自动关机。
- 修改优化提升 USB 模拟器的采样速率。

▶ 特殊变化： • 无

注意事项

- 发射机固件更新完成后，模型数据会被复位。在固件更新之前，可通过遥控管家进行数据备份，然后导入该版本使用。
- 发射机和接收机更新完成后需要重新对码。
- 游戏手柄功能仅在底座正常连接了外部 USB 设备后，才能正常使用。当前支持的设备有：Xbox One 手柄、Sony PS4、罗技 G29 方向盘、图马斯特 T300RS 方向盘、图马斯特 A10C 飞行摇杆。

-
- ▶ **New functions:**
- Add the real-time adjustment function by an assigned control via ASSIGN in the SVC advanced function.
 - Newly support the current and voltage sensors and related functions.
 - Newly support the i-BUS2 speed sensor and related functions.
 - Newly support the i-BUS2 GPS sensor and related functions.
 - Add the i-BUS2 icon setting function.
 - Newly support the HobbyWing i-BUS2 ESC and related functions.
 - Newly support the PowerHD i-BUS2 servo and related functions.
 - Add the function of throttle pause timer.
 - Add the lap list analysis and marking function.
 - Add the function of distinguishing whether controls are allocated or not by color in ASSIGN interface.
 - Add the function of assigning the control state when the knob is used as the position switch.
 - Add the function of setting the range and offset when the knob is used to adjust function parameters.
 - Add the vibration and voice prompt when the knob is over the neutral position.
 - Add the function of assigning the steering wheel and throttle trigger to other auxiliary channels.
 - Add the function that the auxiliary channel custom preset name can be



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.3	Date 日期	05/2023
--------------------------	-------	------------	---------

- **New functions:**
- modified as the state reverse.
 - Add the function that users can customize the model default data.
 - Add the altitude zeroing function (Altitude Zero Set) function.
 - Add the sensor extreme value recording function.
 - Add the sensor data recording function.
 - Add the function of automatically searching receivers (Auto Search Receiver) with switching models.
 - Add the theme switching function.
 - Add the wallpaper switching function.
 - Add the function of hiding the status bar of the main interface in the shortcut operation mode.
 - Newly support the USB extension gamepad function.
 - Add the condition (COND) function.
 - Add the logic switch function.
 - Add the fuel consumption function.
- **Modified functions:**
- Modify and optimize the main interface shortcut operations (that is, add options).
 - Modify the main interface custom display and add contents with automatic zoom-in for display.
 - Modify and optimize the UI style.
 - Modify and optimize the font display.
 - Modify and optimize the curve function, increasing adjustable types and points.
 - Modify and optimize that the reset button can select Trigger and Turn mode when it is set as function controlled.
 - Modify and optimize the channel speed and time display logic.
 - Modify and optimize the four-wheel steering function, the function can be disabled by an assigned control via ASSIGN.
 - Modify and optimize the drive mixing function, the function can be disabled by an assigned control via ASSIGN.
 - Modify and optimize the sound and vibration prompting sensitivity in case of out-of-control.
 - Modify and optimize the sound and vibration to customize to more categories of ON/OFF.
 - Modify and optimize the prompt sensitivity for the sound and vibration in case of out-of-control
 - Modify and optimize the low battery pop-up alert and auto power off.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.3	Date 日期	05/2023
--------------------------	-------	------------	---------

- Improve the sampling rate of USB emulator through optimization.

► Special changes: • None

Notes

- The model data is reset after the update is finished. It is recommended to back up data by the **FlySkyAssistant**, and then import the data after the update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.
- The gamepad function is available only when the base is properly connected to an external USB device. Currently, the supported devices include Xbox One controller, Sony PS4, Logitech G29 driving wheel, THRUSTMASTER T300RS driving wheel, and THRUSTMASTER A10C flight joystick.



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.2	Date 日期	09/2022
--------------------------	-------	------------	---------

- ▶ **新增功能：**
 - SVC 功能菜单里新增高级功能（以适配 INr4-GYB 接收机使用）。
 - 新增进入 SVC 功能时，判断提示用户校准陀螺仪。建议第一次使用陀螺仪时，依界面提示完成陀螺仪校准。
 - 发射机打包的接收机固件里新增 INr4-GYB 接收机固件。
- ▶ **修改功能：**
 - 更新了发射机里所有打包的接收机固件（即 FGr4、FGr4B、FGr4S、FGr4P、FGr8B、FGr12B、INr4-GYB 和 MiniZRF3 接收机）。建议更新完发射机固件后，同步更新接收机固件。
 - 修改油门死区默认值为 0%。
- ▶ **特殊变化：**
 - 无

注意事项

- 更新完成后模型数据会被复位，建议提前通过遥控管家进行数据备份，然后导入该版本使用。
- 发射机和接收机更新完成后需要重新对码。
- SVC 中的高级功能需要搭配 INr4-GYB 接收机才能正常使用。

-
- ▶ **New functions:**
 - Add advanced functions to the **SVC** function menu to adapt to INr4-GYB receiver.
 - In this update, the system prompts the user to calibrate the gyroscope when the user enters the SVC function menu. It is recommended that the user should follow the prompt on the interface to complete the gyroscope calibration when using the gyroscope for the first time.
 - Add INr4-GYB receiver firmware to the receiver firmwares packaged by the transmitter.
 - ▶ **Modified functions:**
 - Upgrade all packaged receiver firmwares in the transmitter (i.e. FGr4, FGr4B, FGr4S, FGr4P, FGr8B, FGr12B, INr4-GYB and MiniZRF3 receivers). It is recommended to update the receiver firmware synchronously after updating the transmitter firmware.
 - Modify the default value of Dead Zone to 0%.
 - ▶ **Special changes:**
 - None



Release Notes for Noble NB4 Pro transmitter firmware/Noble NB4 Pro 软件版本更新记录

Software version 软件版本	1.0.2	Date 日期	09/2022
--------------------------	-------	------------	---------

Notes

- The model data is reset after the update is finished. It is recommended to back up data by the **FlySkyAssistant**, and then import the data after the update is finished.
- The transmitter and the receiver need to be rebound after the update is finished.
- The advanced functions in SVC can be used with INr4-GYB receiver which has a built-in gyroscope.